

JER OVERHAUL, INC.
(A NORDCO COMPANY)
Specializing in
Maintenance of Way Equipment & Parts
Website: www.newmanmachinery.com

*New Item

11/16/09

#Photo on Website

TAMPERS

***Fairmont Tamper Mark IV Switch/Production Tamper, 2001 Model, Equip# TP-3725, Ser#7102011, Cummins 6CTA 8.3 Turbocharged 6 cylinder 230-hp diesel engine. System-V Version V4.10 control system, Release 18, Surface fit, Smart I/O, Variable depth control kit, Production Reporting.** Laser alignment system. Has Clark two speed powershift transmissions for shifting "on the go", four wheel drive, inside hand rail kit, rapid de-ployment buggies with "air lock" pins, Visionaire hydraulic air conditioning system. Automatic guide rod oilers, (7) high pressure hydraulic filters, work and travel lights, brake lights, air dryer, and air horn. Dimensions: (Approx.) L. 50'(w/folding buggy stored), W. 10' 6", H. 12' in shipping position. Wt. 65,000 lbs. Located Arcola, ILL.....**FOR RENT ONLY -- CALL FOR AVAILABILITY!**

#Fairmont Tamper Mark IV Switch/Production Tamper, 1999 Model, Equip# TP-2760, Ser#7191749, Cummins 6CTA 8.3 Turbocharged 6 cylinder 230-hp diesel engine. Had a major rebuild and Update in March 2006 with System-V Version V4.10 control system, Release 4, Surface fit, Smart I/O, Work-head depth control kit. Laser alignment system. Has Clark two speed powershift transmissions for shifting "on the go", four wheel drive, inside hand rail kit, rapid de-ployment buggies with "air lock" pins, Visionaire hydraulic air conditioning system, **insulated.** Automatic guide rod oilers, work and travel lights, brake lights, air dryer, and air horn, recent paint. Dimensions: (Approx.) L. 50'(w/folding buggy stored), W. 10' 6", H. 12' in shipping position. Wt. 65,000 lbs. Located Arcola, ILL.....**FOR RENT ONLY -- CALL FOR AVAILABILITY!**

#Fairmont Tamper Mark IV Switch/Production Tamper, 1997 Model, Equip# TP-2910, Ser#7191287, Cummins 6CTA 8.3 Turbocharged 6 cylinder 230-hp diesel engine, Had a major rebuild and Updated in 2005 with New System-V Version V4.10 control system, Release 17, Surface fit, Work-head depth control kit. Smart I/O, dual reference lining system, Laser alignment system. Has Clark two speed powershift transmissions for shifting "on the go". Inside hand rail kit, four wheel drive, rapid de-ployment buggies, air conditioning. Automatic guide rod oilers, work and travel lights, beacon, brake lights, air dryer, and air horn. Dimensions: (Approx.) L. 50'(w/folding buggy stored), W. 10' 6", H. 12' in shipping position. Wt. 65,000 lbs. Located Arcola,.....**FOR RENT ONLY.-- CALL FOR AVAILABILITY!**

Fairmont Tamper Mark IV Switch/Production Tamper, 1995 Model, Equip# TP-3440, Ser# 7190815. Cummins 6CTA 8.3 Turbocharged 6 cylinder 230-hp diesel engine, four wheel drive, combo clamps, Major rebuild and Updated in August 2007 with 2007 System-V 4.10 Control System, Surface fit, Smart I/O, Production Reporting, Work-head depth control kit, Laser alignment system. Air conditioning system, automatic guide rod oilers, rapid deployment buggies, vandalism protection guards on windows, work and travel lights, beacon, dual air horns, air dryer. New paint! Dimensions: (Approx.) L. 50'(w/folding buggy stored), W. 10' 6", H. 12' in shipping position. Wt. 65,000 lbs. Located Arcola, IL..... **FOR RENT ONLY -- CALL FOR AVAILABILITY!**

#Fairmont Tamper Mark IV Switch/Production Tamper, 1993 Model, Equip# TP-2535, Ser# 7190223. Cummins 6CTA 8.3 Turbocharged 6 cylinder 230-hp diesel engine, four wheel drive, combo clamps. System-V 2003 Version 4.10, Release 17, Surface fit, Production Reporting, work-head depth control kit, double barrel lining receiver. Laser alignment system, raised floor kit, inside hand rail kit, Red Dot heavy duty air conditioning system, automatic guide rod oilers, rapid deployment buggies, (7) high pressure hydraulic filters, insulated!, work and travel lights, beacon, dual air horns, air dryer. Good paint! Dimensions: (Approx.) L. 50'(w/folding buggy stored), W. 10' 6", H. 12' in shipping position. Wt. 65,000 lbs. Located Arcola, IL.....**FOR RENT ONLY-- CALL FOR AVAILABILITY!**

#Fairmont Tamper Mark IV Switch/Production Tamper, 1993 Model, Equip# TP-2450, Ser# 7190193. Cummins 6CTA 8.3 Turbocharged 6 cylinder 230-hp diesel engine, four wheel drive, Major rebuild and Updated February 2005 with System V, Version 4.10, Release 17, Surface fit, double barrel lining receiver, Smart I/O, Workhead depth control, Production Reporting. Laser alignment system, raised floor kit, air conditioning, automatic guide rod oilers, tinted glass, rapid deployment buggies. (7) high pressure hydraulic filters. Work and travel lights, beacon, dual air horns, air dryer. Good paint! Dimensions: (Approx.) L. 50'(w/folding buggy stored), W. 10' 6", H. 12' in shipping position. Wt. 65,000 lbs. Located Arcola, IL.....**FOR RENT ONLY-- CALL FOR AVAILABILITY!**

#Fairmont Tamper Mark IV Switch/Production Tamper, 1993 Model, **Equip# TP-2530**, Ser#7190173. Cummins 6CTA 8.3 Turbocharged 6 cylinder 230-hp diesel engine, four wheel drive, combo clamps, **Major rebuild and Updated 7/6/2006 to System-V 2003 Version 4.10, Release 17, Smart I/O, Surface fit, Production Reporting, work-head depth control kit**, air conditioning, West coast mirrors, raised floor kit, rapid deployment buggies, **adjustable surfacing projector kit (Construction Buggy)**. Laser Alignment system, automatic guide rod oilers, work and travel lights, beacon, dual air horns, air dryer, fire extinguisher, good paint! Dimensions: (Approx.) L. 50'(w/folding buggy stored), W. 10' 6", H. 12' in shipping position. Wt. 65,000 lbs. Located Arcola, IL..... **FOR RENT ONLY -- CALL FOR AVAILABILITY!**

#Fairmont Tamper Mark IV Switch/Production Tamper, 1993 Model, **Equip# TP-3335**, Ser#7190063, Cummins 6CTA 8.3 Turbocharged 6 cylinder 230-hp diesel engine, **had a Major rebuild in 2007, System-V 2001 Version 4.10, Release 11, Smart I/O, Surface fit, Dual lining**, Laser Alignment system, four wheel drive, rebuilt workhead assemblies, rebuilt combo clamps, air conditioning, automatic guide rod oilers, West coast mirrors, rapid deployment buggies, work and travel lights, beacon, dual air horns, back-up alarm, air dryer, fire extinguisher. New paint! Dimensions: (Approx.) L. 50'(w/folding buggy stored), W. 10' 6", H. 12' in shipping position. Wt. 65,000 lbs. Located Arcola, IL..... **FOR RENT ONLY -- CALL FOR AVAILABILITY!**

REMANUFACTURED Fairmont Tamper Mark III Switch/Production Tamper, Model ECTR-130G, GM 4-71T Turbo Charged Diesel, Kato generator, four wheel drive (available in two wheel drive), combo clamp, Graphliner, new style lift cylinders, air conditioning. Overhaul Procedure Includes, but will Not be Limited to:
Complete disassembly and inspection of machine. Steam clean and inspect machine frame for any damage, cracks, Etc. Bore, weld and re-bore all work area pin holes on Machine back to factory specs. Install rebuilt engine, radiator, generator, pumps and countershafts. Replace all machine drive belts and engine hoses. Re-valve entire machine with Rexroth valves with easy troubleshooting lighted electrical covers. Rebuild all Hydraulic cylinders. Replace major pneumatic hoses. Replace major working Hydraulic hoses. Rebuild combo clamp and wear surfaces. Rebuild work head frame assemblies and check vibrators. Install all new brake canisters and brake shoes. Install workhead and combo clamp guide rod oilers. Install Beacon light. Install forward and reverse travel lights. Install new backup alarm. Install all new tinted glass in cab. Install verified fire extinguisher in cab. Install 3 rebuilt Infrared projectors and receivers. Rebuild air conditioning unit or install new unit with heat. Install new air dryer unit. Rework system controller chassis and control cards. Paint entire machine and decal to factory and FRA specs. Machine will include operation/maintenance and parts manuals. Thoroughly operate and test machine. Machine will include an automatic hour meter for total engine hours. **Other Options available: Rapid de-ployment buggies, Double barrel lining receiver and Laser Alignment System. Call for additional pricing. Dimensions (Approx.). L.48' w/projector buggy attached, W. 10'6", H. 10'6", Wt. 62,000lbs. Located Arcola, IL.....CALL FOR AVAILABILITY!**

Fairmont Tamper Mark III Switch/Production Tamper, Equip# TP-3460 1994 Model ECTR-130AG, Ser# 3594284, GM 4-71T Turbo Charged Diesel, Kato generator, **two wheel drive**, combo clamp, **auto-graphliner**, new style lift cylinders, hydraulic driven air conditioning. Laser Alignment System. Lights, wipers, beacon, air dryer, back-up alarm, heater, engine side covers. Dimensions (Approx.). L.48' w/projector buggy attached, W. 10'6", H. 10'6", Wt. 62,000lbs. Located Arcola, IL..... **FOR SALE OR RENT -- CALL FOR AVAILABILITY!**

***Fairmont Tamper Mark III Switch/Production Tamper, Equip# TP-3750** 1991 Model ECTR-130G, Ser# 3593031, GM 4-71T Turbo Charged Diesel, **four wheel drive**, turntable, combo clamp, new style pendulum motors, Inclinometer, new style lift cylinders, insertion counter, air conditioning. Laser Alignment System available! Lights, wipers, beacon, air dryer, manual hydraulic transfer pump, back-up alarm, heater. Dimensions (Approx.). L.48' w/projector buggy attached, W. 10'6", H. 11', Wt. 62,000lbs. Located Arcola, IL..... **IN SHOP!**

***Fairmont Tamper Mark III Switch/Production Tamper, Equip# TP-3675** 1990 Model ECTR-130CL, Ser# 3593680, GM 4-71T Turbo Charged Diesel, **four wheel drive**, turntable, combo clamp, **Compuliner Operating System!**, new style pendulum motors, Inclinometer, new style lift cylinders, Kysor hydraulic driven air conditioning. Lights, wipers, beacon, air dryer, manual hydraulic transfer pump, back-up alarm, heater. Dimensions (Approx.). L.48' w/projector buggy attached, W. 10'6", H. 11', Wt. 62,000lbs. Located Arcola, IL..... **CALL!**

Fairmont Tamper Mark III Switch/Production Tamper, Equip# TP-3325, 1989 Model ECTR-130G, Ser# 3583459, GM 4-71T Turbo Charged Diesel, Kato generator, **four wheel drive**, good drive chains and drive sprockets, combo clamp, turntable, graphliner, good BTI tamping tools. Lights, wipers, beacon and heater, Dimensions (Approx.). L.48' w/projector buggy attached, W. 10'6", H. 10'6", Wt. 62,000lbs. Located Arcola, IL..... **FOR SALE OR RENT -- CALL FOR AVAILABILITY!**

Fairmont Tamper Mark III Switch/Production Tamper, Equip# TP-3445, 1989 Model ECTR-130AG, Ser# 3583469, GM 4-71T Turbo Charged Diesel, Kato generator, **four wheel drive, recently rebuilt workhead frames, recently rebuilt combo clamp assy., (2) recently rebuilt transmissions, new style Rexroth control valves, graphliner**, new style lift cylinders, new style pendulum motors, Laser Alignment System. Side mount Visionaire hydraulic driven air conditioning, turntable. Lights,

wipers, beacon and heater, Dimensions (Approx.). L.48' w/projector buggy attached, W. 10'6", H. 10'6", Wt. 62,000lbs. Located Arcola, IL.....**FOR RENT ONLY -- CALL FOR AVAILABILITY!**

***Fairmont Tamper Mark III Switch/Production Tamper, Equip# TP-3745**, 1988 Model ECTR-130G, Ser# 3583358, GM 4-71T Turbo Charged Diesel, Kato generator, **four wheel drive**, graphliner, new style lift cylinders, new style pendulum motors, **double barrel lining receiver**. Laser Alignment System available! Roof mount Visionaire hydraulic driven air conditioning, air dryer, lights, wipers, beacon, back-up alarm and heater, Dimensions (Approx.). L.48' w/projector buggy attached, W. 10'6", H. 10'6", Wt. 62,000lbs. Located Arcola, IL.....**CALL!**

***Fairmont Tamper Mark III Switch/Production Tamper, Equip# TP-3455** 1987 Model ECTR-130G, Ser# 3583147, GM 4-71T Turbo Charged Diesel, Kato generator, **four wheel drive**, combo clamp, graphliner, new style lift cylinders, Rapid deployment buggies, new style pendulum motors, insertion counter, engine side covers, insulated cab, Laser Alignment System. Side mount Visionaire hydraulic driven air conditioning, air dryer, lights, wipers, beacon, back-up alarm and heater, Dimensions (Approx.). L.48' w/projector buggy attached, W. 10'6", H. 10'6", Wt. 62,000lbs. Located Arcola, IL..... **FOR RENT ONLY -- CALL FOR AVAILABILITY!**

***Fairmont Tamper Mark III Switch/Production Tamper, Equip# TP-3530**, 1987 Model ECTR-130G, Ser# 3582957, GM 4-71T Turbo Charged Diesel, Kato generator, **four wheel drive**, graphliner, Rapid deployment buggies, new style pendulum motors, insulated cab, Laser Alignment System. Side mount Visionaire hydraulic driven air conditioning, air dryer, lights, wipers, beacon, back-up alarm and heater, New paint! Dimensions (Approx.). L.48' w/projector buggy attached, W. 10'6", H. 10'6", Wt. 62,000lbs. Located Arcola, IL..... **FOR RENT ONLY -- CALL FOR AVAILABILITY!**

***Fairmont Tamper Mark III Switch/Production Tamper, Equip# TP-3685**, 1985 Model ECTR-130CL, Ser# 3582165, GM 4-71T Turbo Charged Diesel, air governor, Kato generator, **four wheel drive**, combo clamp, Compuliner V 3.52 R-06 Operating System!, Laser Alignment System available. Heavy duty AC, new style pendulum motors, air dryer, lights, wipers, beacon, back-up alarm and heater, Dimensions (Approx.). L.48' w/projector buggy attached, W. 10'6", H. 11', Wt. 62,000lbs. Located Arcola, IL.....**CALL!**

***Fairmont Tamper Mark III Switch/Production Tamper, Equip# TP-3635**, 1985 Model ECTR-130G, Ser# 3582165, GM 4-71T Turbo Charged Diesel, air governor, Kato generator, **four wheel drive**, combo clamp, rapid deployment buggies, graphliner, Heavy duty AC, **inclinometer**, new style pendulum motors, air dryer, lights, wipers, beacon, back-up alarm and heater, Dimensions (Approx.). L.48' w/projector buggy attached, W. 10'6", H. 10'6", Wt. 62,000lbs. Located Arcola, IL.....**FOR SALE OR RENT -- CALL FOR AVAILABILITY!**

***Fairmont Tamper Mark III Switch/Production Tamper, Equip# TP-3600**, 1984 Model ECTR-130G, Ser# 3581374, GM 4-71T Turbo Charged Diesel, Kato generator, **four wheel drive**, combo clamp, turntable, graphliner, Kysor roof top AC, new style pendulum motors, jump seat, air dryer, lights, wipers, beacon, back-up alarm and heater, Dimensions (Approx.). L.48' w/projector buggy attached, W. 10'6", H. 10'6", Wt. 62,000lbs. Located Arcola, IL.....**FOR SALE OR RENT -- CALL FOR AVAILABILITY!**

***Fairmont Tamper ES-TDAG Mark III Torsion Beam Switch Tamper, Equip# TP-3590**, 1978 Model, Ser# 1075578, GM 4-71 diesel engine, **short beam**, dual clamp system, turntable. Located Arcola, IL.....**CALL!**

REMANUFACTURED Rebuild and Upgrade of your MK II ES or MK I EAS Switch Tamper

Your Remanufactured HST Hydraulic Switch Tamper Rebuild and Upgrade will Consist of:

Complete tear down and inspection of machine and parts. Upgrade workhead frames to MK IV style with top mounted lift cylinders and MK IV style sliders, replacing I-Beams as needed with upgraded traverse items. Replace all Hyd. valves with MK IV style Rexroth valves with lighted covers and Jupiter style din cables. Rewire all SO cables on machine. Rebuild machine differentials and drivelines. Install rebuilt transmission with electric shift controllers (No cables). Rebuild all 4 rail wheels and drive hubs. Replace all brake chambers and brake shoes. Replace all Hyd. hoses. Replace all pneumatic hoses. Rebuild seat console and controls. Install new Red Dot engine driven air conditioner unit with engine coolant heat. Install new work and travel lights. Install back-up alarm and roof beacon. Complete paint and decal machine to FRA Guidelines. Thoroughly test machine.

Rebuild of Equip... Upgrade Electric Vibrators to Hyd MK IV Vibrators. Add steel hyd. lines where applicable. Install necessary hyd. vent and relief valves for vibrator function. Install larger hyd. tank with updated return filters and new suction system. Install all new variable displacement hydraulic pumps for work/travel and vent valves. Install remote mounted hyd. oil cooler system.

Install remote deceleration circuit for single tie tamping or skip tamping for chasing production machines. Install all new gear pumps for hyd. vibrator addition. Install hydraulic warm up circuit.

Power Plant... Upgrade power plant to 4 cycle Tier III John Deere or Cummins engine with digital power view display, throttle and gauges. Install new pump drive gear box. Engine includes cold weather kit and block heater.

Electrical... Upgrade electrical system to 24VDC controlled functions and controllers for double tamp, traction delay and timers. Install all new MK IV style joysticks and push buttons. Install all new double tamp and traction delay circuit. Wire all valves with siliconized cables and built in tranzorbs. Install all new junction boxes and terminal strips with comprehensive wiring diagrams.

Options Available... Vandalism Protection on all windows and storage boxes – Perimeter Lighting – Remote fluid drain package – Cab Window Shades (Interior Shades to Minimize Glare) – Hydraulic reservoir temperature gauge in cab – Electric top off for hyd. system – Electric emergency pump – DOT reflective tape – Cab pressurizer – Track tool box (8"x8"x68") – Additional manual storage box (Top door 12"x13"x4") – Danger live track sign (Retractable belt design inside cab) – Manuals, additional sets – High pressure filter kit with in-cab clog gauges – Espar diesel heaters for hydraulic and engine oils -

CALL FOR PRICING AND AVAILABILITY!

Tamper Corp. ES Switch "Chase" Tamper, Mark II, Equip.# TP-3790, John Deere diesel engine, four wheel drive. Recently reconditioned and upgraded from frame up by UPRR shops. Upgrade includes new diesel engine, Mark III/Mark IV style lift cylinders and workhead frames, (4) rebuilt vibrator assemblies, lots of electrical and hydraulic modifications! Beacon, work/travel lights, side mirrors, fire extinguisher, air horn, air dryer. **Recent paint!** Very good condition! Dimensions: L.23', W. 10'9", H. 10'8", Wt. 35,000 lbs. Located Arcola, IL.....**FOR SALE OR RENT -- CALL FOR AVAILABILITY!**

#Tamper Corp. ES Switch "Chase" Tamper, Mark II, Equip.# TP-3340, Ser#1089936, 1986 Model, GM 4-71T four valve head diesel engine, four wheel drive. recently rebuilt workhead frames, vibrators serviced and load tested, updated Rexroth hydraulic valves, new wiring for workheads, limit switches, etc., hydraulic driven air conditioning, beacon, lights, side mirrors, air dryer. **Recent paint!** Very good condition! Dimensions: L.21', W. 10'9", H. 10'8", Wt. 35,000 lbs. Located Arcola, IL.....**FOR SALE OR RENT -- CALL FOR AVAILABILITY!**

***Tamper Corp. Mark II Straight Tamper, Equip.# T-3670, Ser# 477188, 1978 Model, GM 4-71 4-valve diesel engine, no jacks, four wheel drive, air Conditioner, lights, wipers, beacon, mirrors, back-up alarm. Very nice machine!** Dimensions: L.24', W. 9' 4" (steps can be un-bolted to make legal @ 8'6"), H. 9'6" (w/o beacon). Wt. 35,000 lbs..... **FOR SALE OR RENT -- CALL FOR AVAILABILITY!**

***Tamper Corp. Mark II Straight Tamper, Equip.# T-3665, Ser# 487941, 1981 Model, GM 4-71 4-valve diesel engine, no jacks, four wheel drive, Kysor Air Conditioner, system, (2) jump seats, traction delay, dual insertion, lights, wipers, beacon, mirrors, back-up alarm. Very nice machine!** Dimensions: L.24', W. 9' 4" (steps can be un-bolted to make legal @ 8'6"), H. 9'6" (w/o beacon). Wt. 35,000 lbs..... **FOR SALE OR RENT -- CALL FOR AVAILABILITY!**

***Tamper Corp. EA Mark I Tamper, Equip.# T-3700, Ser# 677238, 1978 Model, GM 4-71 4-valve diesel engine, rebuilt workhead frames, vibrators checked and serviced out, no jacks, two wheel drive, lights, wipers, beacon, mirrors, back-up alarm. Good machine! New paint!** Dimensions: L.24', W. 9' 4" (steps can be un-bolted to make legal @ 8'6"), H. 9'6" (w/o beacon). Wt. 34,200 lbs.....**FOR SALE OR RENT -- CALL FOR AVAILABILITY!**

JRM Junior Tamper, Equip.# T-3060, Ser#5180520, 1980 Model, 5528 hrs., GM 4-71 Diesel engine, hydraulic vibrators, enclosed cab. Rebuilt workhead frames, vibrators serviced and inspected. Lights, beacon, back-up alarm, de-rail guards. Good wheels and brake shoes. Designed for ease of maintenance! Great machine for working in tie gangs or crossing work! Legal width for transporting. Dimensions: (Approx.) L.22' 8", W. 8' 2", H. 10' 4", Wt. 18,128 lbs Located Arcola, ILIN SHOP!****

STM Junior Switch Tamper, Equip.# T-3605, Ser# 5380625, 1985 Model, GM 4-53 Diesel engine, hydraulic vibrators, enclosed cab. Work & travel lights, beacon, air conditioning & heater, de-rail guards, air dryer. Good wheels and brake shoes. Designed for ease of maintenance! Great machine for working in tie gangs or crossing work! New paint! Dimensions: (Approx.) L.23', W. 10' 6", H. 9' 6", Wt. 20,000 lbs. Located Arcola, IL **FOR RENT ONLY-- CALL FOR AVAILABILITY!**

#STM Junior Switch Tamper, Equip.# T-2845, Ser# 5380615, 6285 hrs., 1985 Model, GM 4-53 Diesel engine, hydraulic vibrators, enclosed cab. Lights, heater, de-rail guards, air dryer. Good wheels and brake shoes. Designed for ease of maintenance! Great machine for working in tie gangs or crossing work! Dimensions: (Approx.) L.23', W. 10' 6", H. 9' 6", Wt. 20,000 lbs. Recent paint! Located Arcola, IL **FOR RENT ONLY-- CALL FOR AVAILABILITY!**

STM Junior Switch Tamper, Equip.# T-3710, Ser# 5380263, 1983 Model, GM 4-53 Diesel engine, hydraulic vibrators, enclosed cab. Lights, heater, de-rail guards, air dryer. Good wheels and brake shoes. Designed for ease of maintenance! Great machine for working in tie gangs or crossing work! Dimensions: (Approx.) L.23', W. 10' 6", H. 9' 6", Wt. 25,000 lbs. Located Arcola, ILIN SHOP!****

STM-XLC Switch Tamper, Ser# 5391034, Equip# TP-3615, 1994 Model, GM 4-53 Diesel, hydraulic vibrators, enclosed cab, engine side covers, air conditioner/heater, semi-automatic operation. Only 1300 hrs. of use since new! Designed for ease of

operation and maintenance. Lights, beacon, wipers, defroster fan, air horns. Dimensions: (Approx.) L. 25', W. 10' 6", H. 9'7", Wt. 32,000 lbs. Located Arcola, IL..... **IN SHOP!**

#STM-XLC Switch Tamper, Equip.# T-2695, Ser# 5380434, 1984 Model, GM 4-71 Diesel, hydraulic vibrators, updated amplifier receivers, (Mark IV style) enclosed cab, semi-automatic operation. Designed for ease of operation and maintenance. New paint and glass. Dimensions: (Approx.) L. 25' Basic machine, (32' with front buggy on deck), W. 10' 6", H. 10'6", Wt. 32,000 lbs. Located Arcola, IL..... **FOR RENT ONLY-- CALL FOR AVAILABILITY!**

STM-J(FLT) Switch Tamper, Equip.# TP-2865, Ser# 5380071, 1981 Model, GM 4-71 Diesel, hydraulic vibrators. The (LT) Junior Foreman light system has been removed. Machine will manually lift and line. Machine to be fully serviced, repaired as needed with good paint. Designed for ease of operation and maintenance. Dimensions: (Approx.) L. 25' Basic machine, W. 10' 6", H. 9'6", Wt. 28,000 lbs. **FOR SALE OR RENT-- CALL FOR AVAILABILITY!**

BALLAST REGULATORS

Knox Kershaw KBR-900 Heavy Duty Ballast Regulator, Equip# BR-3040, Ser# KBR900-004-94, 1994 Model, Detroit 4-53T Silver Series Turbo Charged engine, operator's cab tilts for ease of maintenance, **Funk six speed powershift "on the go" transmission**, air conditioned, 28" wheels with rebuilt wheel flanges, ballast wings 1.6 cu. yd. wings with articulated templates, turntable, mirrors, back-up alarm, work lights, strobe light, new brake shoes, new broom hoses. Very nice machine! **New paint!** Dimensions: (Approx.) L. 37', W.10' 7", H.11' 10", Wt.44,000 lbs. Located Arcola, IL. Recently undergone a major reconditioning as of 10/05..... **FOR RENT ONLY -- CALL FOR AVAILABILITY!**

Knox Kershaw KBR-850 Heavy Duty Ballast Regulator, Equip# BR-2815, Ser# 045-850-01, 2001 Model, Detroit 40E, 210 h.p. engine, **six speed power shift transmission**, **One pass plow**, ballast wings are full 36" wide with 1.5 cubic yard capacity, hydraulic controlled template doors, turntable, **tinted windows**, remote engine filters, engine shutdown system, back-up alarm, fuel/water separator, strobe light, signal shunting system, insulated broom housing, **broom deflector is 45 degree v-shaped for quick transfer of ballast to shoulders**. Hydraulic driven McBone A/C, heater, pressurizer unit. Very nice machine! Recent paint. Dimensions: (Approx.) L. 37', W.10' 7", H.11' 6", Wt.38,000 lbs. Located Arcola, IL.....**FOR RENT ONLY! -- CALL FOR AVAILABILITY!**

#Kershaw 46-1-2 Ballast Regulator, Equip# BR-2805, Ser# 46-154-83, GM 4-53T rebuilt diesel engine, 175 h.p., hydrostatic 4 wheel drive, 4-speed transmission, One pass plow, 36 inch wide reversible wings hydraulically controlled from cab, hydraulic broom, hydraulic turntable, Dual operator cab, insulated cab with Air conditioning and heat. Dimensions: (Approx.) L. 32', W. 10' 6", H.10' 6", Wt. 35,000 lbs. **This machine has just had a complete overhaul and upgrade to 46-2 side wings!** Located Arcola, IL.....**FOR SALE OR RENT -- CALL FOR AVAILABILITY!**

Kershaw 35-10-1 Double Broom, Equip# DB-3680, Ser# 35-172-92, 1992 Model, GM 4-53 diesel engine, 3-speed transmission, two wheel drive. Enclosed walk in cab, Kysor hydraulic driven air conditioning, lights, wipers, air horn, beacon. Two hydraulically powered brooms sweep a width of 9'4" at speed a speed of approx. 1 mph, resulting in "complete cleaning" in one pass. Adjustable side plows level windrows from outside the broom path. The rear broom is equipped with a reversible reel and second deflector. Has "work interrupt system". Has engine side covers, no turntable, wipers, work lights, air horns. Dimensions: (Approx) L. 32', W. 10' 6", H. 11', Weight: 24,500 lbs. Located Arcola, IL.**FOR SALE OR RENT -- CALL FOR AVAILABILITY!**

#Kershaw 35-13 Tie Plate Sweeper, Equip# TPS-2885, Ser# 35-106-92, 1992 Model, **recently rebuilt** Deutz 3 cyl. F3L-912 Diesel engine, four wheel drive, 22 gallon fuel tank, **work interrupt kit**, Removes ballast and debris from the tie plate areas after new tie insertion in tie gangs. Dimensions: (Approx) L. 14' 7", W. 9', H. 8' 4", Wt. 8900 lbs. Very good condition. **Good paint!** **FOR RENT ONLY -- CALL FOR AVAILABILITY!**

#Kershaw 35-13 Tie Plate Sweeper, Equip# TPS-3655, Ser# 35-112-93, 1992 Model, **New Deutz 3 cyl. Diesel engine**, four wheel drive, 22 gallon fuel tank, **work interrupt kit**, Removes ballast and debris from the tie plate areas after new tie insertion in tie gangs. Dimensions: (Approx) L. 14' 7", W. 9', H. 8' 4", Wt. 8900 lbs. Very good condition. **New Paint!**..... **FOR RENT ONLY -- CALL FOR AVAILABILITY!**

#Kershaw 35-13 Tie Plate Sweeper, Equip# TPS-3660, Ser# 35-105-91, 1992 Model, **New Deutz 3 cyl. Diesel engine**, four wheel drive, 22 gallon fuel tank, **work interrupt kit**, Removes ballast and debris from the tie plate areas after new tie insertion in tie gangs. Dimensions: (Approx) L. 14' 7", W. 9', H. 8' 4", Wt. 8900 lbs. Very good condition. **New Paint!**..... **FOR RENT ONLY -- CALL FOR AVAILABILITY!**

#Kershaw 26-2-2 Ballast Regulator, 1991 Model, **Equip# BR-2500**, Ser# 26-1972-91, GM 4-53T Diesel engine, Funk transmission, hydraulic driven broom, heavy duty air cleaner and muffler system. One pass plow, good plow blades and good front skid, air conditioning unit, good broom hoses. Dimensions: (Approx.) L. 28' W. 10'8", H. 9'6" w/exhaust & air cleaner removed, Wt. 25,000 lbs. Good paint! Located Arcola, IL.....**FOR SALE OR RENT -- CALL FOR AVAILABILITY!**

Kershaw 26-2-2 Ballast Regulator, 1986 Model, **Equip# BR-3290**, Ser# 26-1906-86,GM 4-53 Diesel engine, Funk transmission, hydraulic driven broom, heavy duty air cleaner and muffler system. One pass plow, Red Dot air conditioning unit, 90% broom hoses. Dimensions: (Approx.) L. 28' W. 10'8", H. 10'6" w/exhaust & air cleaner removed, Wt. 25,000 lbs. Located Arcola, IL..... **FOR RENT ONLY -- CALL FOR AVAILABILITY!**

CRANES/SPEED SWINGS/RAILCAR MOVERS

Pettibone 441-B Speed Swing, **Equip# SS-2925**, Ser# 2293., GM 4-53 Diesel engine, hi-rail attachment, good wheel flanges and drive hubs, tote hook. Lights, turn signals, beacon, side mirrors. Good paint. Dimensions: (Approx.) L. 18'3", W. 8'2", H. 9'(with exhaust & air cleaner removed), Wt. 34,000 lbs. Located Arcola, IL**FOR SALE OR RENT ONLY-- CALL FOR AVAILABILITY!**

SPIKE PULLERS / DRIVERS

Nordco "Grabber" Dual Spike Puller, **Equip# SP-3275**, Model LS Grabber, 1993 Model, Ser# 457, Deutz F3L-912 3 cyl. diesel engine. Pulls inside and outside spikes simultaneously on both rails. One or two man operation. Dimensions: (Approx.) L. 14', W. 7', H. 7'6", Wt. 7,500 lbs. Located Arcola, IL.....**FOR SALE OR RENT -- CALL FOR AVAILABILITY**

Nordco "Claws" Spike Puller, **Equip# SP-3280**, Model LS Claws, 1993 Model, Ser# 417, Deutz F3L-1011 Diesel engine. Pulls inside and outside spikes simultaneously on one rail. One man **RH controls.. Lights, strobe, mirror, back-up alarm.** Dimensions: (Approx.) L. 9', W. 7', H. 7'6", Wt. 4,000 lbs. Located Arcola, IL.....**FOR SALE / RENT--CALL FOR AVAILABILITY**

***Fairmont W84-J Single Hydraulic Spike Puller. Equip# SP-3560**, traversing head. New paint, serviced and ready to work! Dimensions: (Approx.) L. 4', W. 9', H. 4' 6", Wt. 1200 lbs. Located Arcola, IL.....**FOR SALE OR RENT!**

TIE CRANES

Fairmont RTW200B-2-5 Tie Crane, **Equip# TH-3760**, Ser#257043, 1993 Model, GM diesel engine, enclosed cab, hyd. joystick controls, single tie head, air horns. Lifting capacity 1,000 lbs. @ 24'. Dimensions: (Approx) L. 20' travel position, W. 8', H. 10' 6", Wt. 13,500 lbs. Located Arcola, IL..... **FOR RENT ONLY-- CALL FOR AVAILABILITY**

#Kershaw 12-4 Tie Crane, **Equip# TH-2340**, TH-118, 1986 Model, GM 3-53 diesel engine, enclosed cab, heater, **updated Gresen hydraulic joysticks!** 800 lbs. capacity at 24 ft. Single tie head, lights, air horn. **Recent Paint!** Dimensions: (Approx.) L. 30'2", W. 7", H. 9' 6", Wt. 13,500 lbs. Located Arcola, ILL.....**FOR RENT ONLY! -- CALL FOR AVAILABILITY!**

#RTW TH-2181-B Articulating "Tie/Bridge Crane, **Equip# TH-2875**, Ser# 154, GM 3-53 diesel engine, air horn, articulating boom, air brakes, dual sliding tie head, rail clamps, hydraulic winch, enclosed cab, heater, engine enclosure, lights, beacon. Lifting capacity 800 lbs @ 24', 1500 lbs. @ 12'6". Dimensions: (Approx.) L. 30' 11", W. 7'6", H. 9'2" w/boom extended! Wt. 14,500 lbs. Located Arcola, IL.....**FOR SALE OR RENT - - CALL FOR AVAILABILITY!**

RAIL LIFTERS / LINERS

Nordco Auto Lift Rail Lifter, Model LS-1, **Equip# RL-3345**, **2008 Model**. Hatz Diesel engine. The Auto Lift Rail Lifter will automatically lift one or both rails to a specific height to allow positioning the tie plates between the ties and the rail. It is self propelled and 2 person operation. New paint! Dimensions: (Approx.) L. 7' 10", W. 6' 8", H. 8', Wt. 4,500 lbs. Located Arcola, IL.....**FOR SALE OR RENT! - CALL FOR AVAILABILITY!**

Nordco Auto Lift Rail Lifter, Model LS, **Equip# RL-3160**, 1997 Model, Ser# 600. Hatz Diesel engine. The Auto Lift Rail Lifter will automatically lift one or both rails to a specific height to allow positioning the tie plates between the ties and the rail. It is self propelled and 2 person operation. **Good paint!** Dimensions: (Approx.) L. 6', W. 6', H. 6', **Wt. 4,500** lbs. Located Arcola, IL..... **FOR SALE OR RENT! - CALL FOR AVAILABILITY!**

Nordco Auto Lift Rail Lifter, Model LS, **Equip# RL-3165**, 1997 Model, Ser# 575. Hatz Diesel engine. The Auto Lift Rail Lifter will automatically lift one or both rails to a specific height to allow positioning the tie plates between the ties and the rail. It is self

propelled and 2 person operation. **Good paint!** Dimensions: (Approx.) L. 6', W. 6', H. 6', **Wt. 4,500 lbs.** Located Arcola, IL
..... **FOR SALE OR RENT! - CALL FOR AVAILABILITY!**

TIE REMOVERS / SCARIFIERS / INSERTERS

#Fairmont Tamper TR-10 Phase III Tie Exchanger, Phase III Machine, **Equip# TRI-2930**, Ser# 5592328, 1998 Model, Cummins engine, air throttle, air dryer, Visionaire air conditioning, wide cab. Hydrostatic driven four wheel drive. Removes ties from either side, and maintains track alignment. Handles switch ties with ease! Wide cab with rail mounted operator's seat traverses from side to side as required. Swivel head, rail clamps, load sensing hydraulics, (2) high pressure hydraulic filters. Removes and inserts **4-6** ties per minute! Fuel capacity 120 gallons (17 hrs. working time), 20 m.p.h. travel speed. Work & travel lights, wipers, beacon air horns, back-up alarm, side mirrors. Very good machine! Dimensions: (Approx.) L. 32', W. 10'4", H. 10'8" (11' on 4x4 wheel blocks), Wt. 35,000 lbs. Located Arcola, ILL.....**FOR RENT ONLY -- CALL FOR AVAILABILITY!**

#Fairmont Tamper TR-10 Tie Exchanger, Phase III Machine, **Equip# TRI-2720**, Ser# 5592026, 1996 Model, Cummins Diesel engine, air throttle, air dryer, Visionaire air conditioning, wide cab. Hydrostatic driven four wheel drive. Removes ties from either side, and maintains track alignment. Handles switch ties with ease! Wide cab with rail mounted operator's seat traverses from side to side as required. Swivel head, rail clamps, load sensing hydraulics. Removes and inserts 4-6 ties per minute! Fuel capacity 120 gallons (17 hrs. working time), 20 m.p.h. travel speed. Work & travel lights, wipers. Very good machine! Dimensions: (Approx.) L. 32', W. 10'4", H. 10'8" (11' on 4x4 wheel blocks), Wt. 35,000 lbs. Located Arcola, ILL.....**FOR RENT ONLY -- CALL FOR AVAILABILITY!**

***Fairmont Tamper TR-10 Tie Exchanger**, Phase III Machine, **Equip# TRI-3520**, Ser# 5591392, 1992 Model, Detroit 4-53T Diesel engine, wide cab, Hydrostatic driven four wheel drive. Removes ties from either side, and maintains track alignment. Handles switch ties with ease! Wide cab with rail mounted operator's seat traverses from side to side as required. Swivel head, rail clamps, load sensing hydraulics. Removes and inserts 4-6 ties per minute! Fuel capacity 120 gallons (17 hrs. working time), 20 m.p.h. travel speed. Work & travel lights, wipers. Air horns, back-up alarm, beacon, side mirrors. Dimensions: (Approx.) L. 32', W. 10'4", H. 10'8" (11' on 4x4 wheel blocks), Wt. 34,000 lbs. Located Arcola, ILL. **In Shop!**.....**FOR SALE OR RENT -- CALL FOR AVAILABILITY!**

***Fairmont Tamper TR-10 Tie Exchanger**, Phase III Machine, **Equip# TRI-3645**, Ser# 5591231, 1991 Model, Detroit 4-53T Diesel engine, wide cab, Hydrostatic driven four wheel drive. Removes ties from either side, and maintains track alignment. Handles switch ties with ease! Wide cab with rail mounted operator's seat traverses from side to side as required. Swivel head, rail clamps, load sensing hydraulics. Removes and inserts 4-6 ties per minute! Fuel capacity 120 gallons (17 hrs. working time), 20 m.p.h. travel speed. Work & travel lights, wipers. Air horns, back-up alarm, beacon, side mirrors. Dimensions: (Approx.) L. 32', W. 10'4", H. 10'8" (11' on 4x4 wheel blocks), Wt. 34,000 lbs. Located Arcola, ILL. **In Shop!**.....**FOR SALE OR RENT -- CALL FOR AVAILABILITY!**

Fairmont Tamper TR-1 Tie Exchanger, **Equip# TRI-3400**, Ser# 5580405, 1985 Model, GM 4-53T turbo diesel engine, TR-10 Style Extractor/Inserter head assy. Good wheel flanges. Hydrostatic driven four wheel drive. Removes ties from either side, and maintains track alignment. Handles switch ties with ease! Rail mounted operator's seat traverses from side to side as required. Swivel head, rail clamps, load sensing hydraulics, (1) high pressure filter, electric hyd. Top-off pump system. Removes and inserts **4-6** ties per minute! Fuel capacity 75 gallons (12 hrs. working time), 20 m.p.h. travel speed. Work & travel lights, wipers, mirrors, strobe, back-up alarm, air dryer, side & rear view mirrors, heater, defrosting fans. Very good machine! Dimensions: (Approx.) L. 30', W. 9' 2", H. 9'6", Wt. 34,000 lbs. Located Arcola, ILL.....**FOR SALE OR RENT -- CALL FOR AVAILABILITY!**

***Fairmont Tamper TR-1 Tie Exchanger**, **Equip# TRI-3350**, Ser# 5580264, 1984 Model, GM 4-53T turbo diesel engine, 2606 hrs. as of 10/05/06. TR-10 Extractor/Inserter head assy. Good wheel flanges. Hydrostatic driven four wheel drive. Removes ties from either side, and maintains track alignment. Handles switch ties with ease! Rail mounted operator's seat traverses from side to side as required. Swivel head, rail clamps, load sensing hydraulics. Removes and inserts **4-6** ties per minute! Fuel capacity 75 gallons (12 hrs. working time), 20 m.p.h. travel speed. Work & travel lights, wipers, mirrors, strobe, back-up alarm. Very good machine! Dimensions: (Approx.) L. 30', W. 9' 2", H. 9'6" (11' on 2x4 wheel blocks), Wt. 35,000 lbs. Located Arcola, ILL.....**FOR SALE OR RENT -- CALL FOR AVAILABILITY!**

Kershaw 44-1 Rotary Scarifier/Inserter, **Equip# RTBS-2940**, GM 3-53 Diesel, **air conditioned** enclosed cab, kicker **attachment**. Turntable, air brakes, lights, air horns, beacon, four wheel drive. Dimensions: (Approx) L. 20', **W. 12'2" traveling position** (9'8" with extension drums removed and hyd. cylinders retracted), H. 9', Wt. 16,500 lbs. **Machine has recently gone thru a major overhaul!** Located Arcola, IL..... **FOR RENT ONLY -- CALL FOR AVAILABILITY!**

Kershaw 44-1 Rotary Scarifier/Inserter, Equip# RTBS-3500, Ser# 44-156-89, 1989 Model, GM 3-53 Diesel, enclosed cab, kicker attachment. Turntable, air brakes, lights, air horns, beacon, four wheel drive. Dimensions: (Approx) L. 20', W. 12'2" traveling position (9'8" with extension drums removed and hyd. cylinders retracted), H. 9', Wt. 16,500 lbs. Located Arcola, IL..... **FOR RENT ONLY -- CALL FOR AVAILABILITY!**

ADZERS / CRIBBERS

Nordco ROA-B Rail Gang tie adzer, Equip# ADZ-2095, 1997 Model, Ser# 187. Machine reconditioned 11/04. Deutz 4 cyl. Diesel engine, approx. 130 FPM crawler speed. Maximum stability crawler unit spans seven ties. Proven Nordco 20" cutter head with chain safety guard. Has optional debris collector to minimize dust and debris in operator area! **Good machine with good paint! Dimensions:(Approx.) L.13', W. 8'6", H. 6', Wt. 5075 lbs. Located Arcola, IL.....**FOR SALE OR RENT -- CALL FOR AVAILABILITY!****

RAIL ANCHOR MACHINES

#Racine Dual Anchor Spreader, Model DAS, Equip# 2325, Ser# DAS157-97, Unit RA-6 (4011) 1997 Model, Deutz F3L-1011 diesel engine. The Spreader will spread all types of rail anchors when utilized in a wood tie replacement gang. **Ties must be removed prior to Spreading!** Rail anchors do not have to be removed and reapplied during this operation when used in conjunction with a Racine Dual Anchor Adjuster! A production rate of 4-6 ties per minute can be reached. Travel lights, turntable, steel roof, air brakes, vandalism covers, jump seat, noise abatement engine enclosure. Dimensions(Approx.) L. 186", W. 96", H. 104", Wt. 10,700 lbs. Very good condition! Located Arcola, ILL.....**FOR RENT ONLY! -- CALL FOR AVAILABILITY!*

#Racine Dual Anchor Adjuster, Model DAA, Equip# 2320, Ser#DAA160-93, Unit RA-5 (4041), 1993 Model, Deutz F3L-1011 diesel engine. The Dual Anchor Adjuster will squeeze all types of rail anchors when utilized in a wood tie replacement gang; or to re-tighten rail anchors in a surfacing gang operation; or during rail replacement. Rail anchors do not have to be removed and reapplied during wood tie replacement operations. A production rate of 8-10 ties per minute can be reached. Travel lights, turntable, air brakes, vandalism covers, noise abatement engine enclosure, steel roof, jump seat, side mirrors, top off pump assy., back-up alarm, pre-cleaner air filter. Dimensions: (Approx) L. 186", W. 87", H. 93", Wt. 8000 lbs. Located Arcola, ILL.....FOR RENT ONLY! -- CALL FOR AVAILABILITY!****

#Racine Dual Anchor Adjuster, Model DAA, Equip# 2460, Ser# DAA120-91, 1991 Model, Deutz F3L-1011 diesel engine. The Dual Anchor Adjuster will squeeze all types of rail anchors when utilized in a wood tie replacement gang; or to re-tighten rail anchors in a surfacing gang operation; or during rail replacement. Rail anchors do not have to be removed and reapplied during wood tie replacement operations. A production rate of 8-10 ties per minute can be reached. Travel lights, turntable, air brakes, vandalism cover, noise abatement engine enclosure, steel roof, side mirrors, back-up alarm, pre-cleaner air filter. Dimensions: (Approx) L. 11', W. 8'4", H. 8'10", Wt. 8100 lbs. Located Arcola, IL.....RENT ONLY!--CALL FOR AVAILABILITY!****

OTHER MACHINES

New Heavy Duty Flatcar, 18,000 lbs. capacity, 10 ft. x 68 inch steel deck, 2-3/4" stationary axles with 16 inch cast steel wheels. New paint! Located Arcola, IL.....\$6,500.00****

#(3) New 10,000 lbs. Steel flatcars, 67 inch by 84 inch deck, 16 inch wheels. Located Arcola, Each.....CALL!****

Used 10,000 lbs. + plus! Flatcar! 50 inches wide, 8 feet 4 inches long, 16" wheels. Has tool box on one end leaving 7 feet open deck. Car is made of 4 inch steel tubing with open deck. Its a nice car! Ready to go! Located Arcola, IL..... **\$3,800.00*

#Geismar AP-21-T6Clipper. Equip# CLA-3365, Ser# 1482?, B&S gas engine, Interchangeable workheads for different style clips. Works on new or old Pandrol clips. Installs up to 1600 clips per hour, inserts clips on wood or concrete ties, works on either side of rail. Easily removes all clips on concrete ties. Units currently has T6 heads for installing Fastclip, Safelok/McKay, Surlock clips. Also removes Fastclip!.Good condition with new paint! Located Arcola,IL.....\$14,500.00****

#Teleweld CWR Series I Rail Heater with vibrators, Model RB1, Equip.# RH-3390, Ser# 3208, 1995 Model, Deutz Diesel engine, self-propelled work speed up to 3 MPH with optional travel speed of 18 MPH. 400 gallon tank, 32 burner dual sided and dual vibrators. Second heater unit to heat opposite rail without turning unit. Rail vibrators capable of producing 3600 cycles per minute with 440 pounds of force. Working travel rate of 50 to 150 ft. per minute. Use 75 ft. per minute. Dimensions: L.23' 7", W. 7' 6", H. 9', Wt.13,000 lbsFOR RENT ONLY -- CALL FOR AVAILABILITY!****

#Teleweld CWR Series I Rail Heater with vibrators, Model KL4, **Equip.# RH-2985**, Ser# 3146, **1990** Model, Deutz Diesel engine, self-propelled work speed up to 3 MPH with optional travel speed of 18 MPH. 400 gallon tank, 32 burner dual sided and dual vibrators. Second heater unit to heat opposite rail without turning unit. Rail vibrators capable of producing 3600 cycles per minute with 440 pounds of force. Working travel rate of 50 to 150 ft. per minute. Use 75 ft. per minute. Dimensions: L.23' 7", W. 7' 6", H. 9', Wt.13,000 lbs **FOR RENT -- CALL FOR AVAILABILITY!**

#Teleweld CWR Rail Heater, **Equip# RH-3110**, Ser# 15635-1, 32 burner dual sided. Approx. 400 gallon propane tank. New Brass burner screens, new gaskets, new crucible bottom's. Towable, not self-propelled, 6 ft. tow bar with safety cable. Has fail safe air brakes with quick dump & glad hand connections. No vibrators. Excellent condition. Dimensions: L.13', W. 7' 6", H. 8' 6", Wt.4,000 lbs. Located Arcola, IL..... **FOR RENT ONLY -- CALL FOR AVAILABILITY!**

***Teleweld CWR Series II Rail Heater with vibrator**. Model QL1, **Equip# RH-3475**, Ser# 1350, **1994** Model. Two cylinder Deutz F2l-1011 Diesel engine. Eight burner, single sided, self-propelled. Uses (4) 100# propane tanks. Unit does not come with tanks! Good condition. New paint. Dimensions: L.13'6", W. 7', H. 7', Wt.3,200 lbs Located Arcola,IL..... **FOR RENT -- CALL FOR AVAILABILITY!**

**Please call prior to inspection for exact location of equipment. Pictures available upon request.
Prices subject to change without notice. Taxes apply where applicable.**

JER Overhaul, Inc. / Newman Machinery

E-mail: mofwman@cox.net

OFF# (602) 952-0035

Phone/Fax# (602) 952-6026 Cell# (602) 549-0950

Website: www.newmanmachinery.com

Related Links

www.jeroverhaul.com

www.nordco.com